

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	@ad<"20010214" and firewall same encrypt\$5 with key with header	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 13:28
L2	12	@ad<"20010214" and firewall same encrypt\$5 with key with address	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 14:09
L3	2	@ad<"20010214" and firewall with encrypt\$5 and select\$3 with key with (header address)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 14:16
L4	7	@ad<"20010214" and (gateway firewall) with encrypt\$5 and select\$3 with key with (header address)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 14:20
L5	78	@ad<"20010214" and (gateway firewall) with encrypt\$5 and encrypt\$5 with key with (header address)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 14:55
L6	136	@ad<"20010214" and (gateway firewall) same encrypt\$5 and encrypt\$5 with key with (header address)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 14:20
L7	36	@ad<"20010214" and (gateway firewall) with encrypt\$5 same encrypt\$5 with key with (header address)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 14:20
L8	105	@ad<"20010214" and encrypt\$5 with key with (header address) with select\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 17:35
L9	26	@ad<"20010214" and encrypt\$5 with key with (header) with select\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 17:29
L10	6	@ad<"20010214" and (firewall gateway proxy) near4 encrypt\$4 same header with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 15:25
L11	3	@ad<"20010214" and (firewall gateway proxy) near4 encrypt\$4 same security adj association	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 15:26

EAST Search History

L12	12	@ad<"20010214" and (firewall gateway proxy) with encrypt\$4 same security adj association	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 15:32
L13	21	@ad<"20010214" and (firewall gateway proxy) same security adj association with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 15:32
L14	7	@ad<"20010214" and encrypt\$5 with key with (header) with (firewall gateway proxy)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 17:29
L15	41	@ad<"20010214" and encrypt\$5 with key with (header address) with select\$3 near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 17:36
L16	58	@ad<"20010214" and encrypt\$5 with key with (header address source destination) with select\$3 near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 17:37
L17	34	@ad<"20010214" and encrypt\$5 with key with (header source destination) with select\$3 near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 18:17
L18	559	@ad<"20010214" and modulo with range	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 18:17
L19	28	@ad<"20010214" and modulo with limit\$3 near3 range	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 18:32
S1	36	@ad<"20010214" and key with previous with block same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/07/07 13:27
S2	359	@ad<"20010214" and key with block same chain\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 10:21
S3	126	((@ad<"20010214" and key with block same chain\$3) and key with (pool bank storage list)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 10:24
S4	96	((@ad<"20010214" and key with block same chain\$3) and key with (pool bank storage list)) and bits	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 10:22

EAST Search History

S5	54	(((@ad<"20010214" and key with block same chain\$3) and key with (pool bank storage list)) and bits) and (choos\$5 select\$2) with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 10:26
S6	31	(((@ad<"20010214" and key with block same chain\$3) and key with (pool bank storage list)) and bits) and (choos\$5 select\$2) near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 10:33
S7	8	(((@ad<"20010214" and key with block same chain\$3) and key with (pool bank storage list)) and bits) and 380/37.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 10:36
S8	223	@ad<"20010214" and 380/37.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 13:47
S9	90	(@ad<"20010214" and 380/37.ccls.) and key near2 (bank database table stor\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 10:39
S10	49	(@ad<"20010214" and 380/37.ccls.) and key near2 (bank database table stora\$5).	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 12:04
S11	4979810	@ad<"20010214" key with based with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 12:43
S12	537	@ad<"20010214" and key with based with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 11:46
S13	35	(@ad<"20010214" and key with based with block) and different near2 key with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 12:04
S14	206	@ad<"20010214" and cipher adj block adj chaining	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 12:04
S15	88	(@ad<"20010214" and cipher adj block adj chaining) and key near2 (bank database table stora\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 12:05
S16	59	((@ad<"20010214" and cipher adj block adj chaining) and key near2 (bank database table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 12:06

EAST Search History

S17	59	((@ad<"20010214" and cipher adj block adj chaining) and key near2 (bank database table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based chos\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 12:17
S18	8	((@ad<"20010214" and cipher adj block adj chaining) and key near2 (bank database table stora\$5)) and key near2 (choos\$5 select\$3 pick\$4 based chos\$4) with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 12:08
S19	110	@ad<"20010214" and selecting with encryption with key and block with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 13:23
S20	13	"5548648".URPN.	USPAT	OR	ON	2004/08/09 12:53
S21	3	("3798360" "5253294" "5305384").PN.	USPAT	OR	ON	2004/08/09 12:57
S22	0	@ad<"20010214" and encrypt\$2 near2 block near2 key same select\$2 near2 key near2 (previous prior)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 13:24
S23	0	@ad<"20010214" and encrypt\$2 near2 block near2 key and select\$2 near2 key near2 (previous prior)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 13:25
S24	58	@ad<"20010214" and encrypt\$2 near2 block near2 key and select\$2 near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 13:33
S25	26	@ad<"20010214" and dynamic adj key same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 13:41
S26	89	@ad<"20010214" and 380/274. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/09 13:51
S27	88	@ad<"20010214" and cipher adj block adj chaining and key near2 (bank table stora\$4 database)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 08:24
S28	1708	@ad<"20010214" and block and key near2 (bank table stora\$4 database) and key near2 (depend\$4 base\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 08:25

EAST Search History

S29	152	@ad<"20010214" and block and key near2 (bank table stora\$4 database) and key near2 (depend\$4 base\$4) with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 08:32
S30	348	@ad<"20010214" and block with key with (previous preceding)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 08:33
S31	206	((@ad<"20010214" and block with key with (previous preceding)) and communication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:54
S32	85	@ad<"20010214" and block with key with (previous preceding) near2 block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 09:41
S33	16	"5442705".URPN.	USPAT	OR	ON	2004/08/10 08:45
S34	4	("5285497" "5351299" "5479512" "5517614").PN.	USPAT	OR	ON	2004/08/10 08:50
S35	348	@ad<"20010214" and block with key with (previous preceding)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:10
S36	65036	"3" and (select\$5 choos\$3 pick\$2) with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 11:05
S37	202	((@ad<"20010214" and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 11:06
S38	47	((@ad<"20010214" and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 11:55
S39	46	((@ad<"20010214" and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and ("713"/\$.ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 11:56
S40	10	"5488661".URPN.	USPAT	OR	ON	2004/08/10 12:18
S41	6	("4791669" "4797921" "5003596" "5058164" "5081675" "5103479").PN.	USPAT	OR	ON	2004/08/10 12:18
S42	0	"6731758".URPN.	USPAT	OR	ON	2004/08/10 12:49

EAST Search History

S43	32	("3798360" "4004089" "4316055" "4605820" "4607137" "4613901" "4641102" "4953208" "4991208" "5020106" "5195136" "5341425" "5341426" "5509073" "5533127" "5590194" "5621799" "5673319" "5680131" "5825879" "5852472" "5862150" "5940509" "6005940" "6061449" "6118873" "6167136" "6345101" "6452959" "6453304" "6466669" "6477252").PN.	USPAT	OR	ON	2004/08/10 13:10
S44	4979998	@ad<"20010214"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:10
S45	2	@ad<"20010214" and key near2 dependent near2 previous	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:11
S46	1	@ad<"20010214" and key near2 dependent with previous and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:12
S47	39	@ad<"20010214" and key near2 dependent with block and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:06
S48	107	((@ad<"20010214" and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table stor\$3)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:32
S49	60	(((@ad<"20010214" and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table stor\$3)) not (((@ad<"20010214" and block with key with (previous preceding)) and (select\$5 choos\$3 pick\$2) with key) and key near2 (bank list database table))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:34
S50	27	@ad<"20010214" and block adj cipher and select\$2 near2 key and plurality near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:35

EAST Search History

S51	54	@ad<"20010214" and block adj cipher and select\$2 near2 key and (plurality several many) near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:54
S52	27	(@ad<"20010214" and block adj cipher and select\$2 near2 key and (plurality several many) near2 key) not (@ad<"20010214" and block adj cipher and select\$2 near2 key and plurality near2 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 13:54
S53	244	@ad<"20010214" and encryption and (extract\$2 bits) near2 block and (plurality several many) near2 keys	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:11
S54	53	(@ad<"20010214" and encryption and (extract\$2 bits) near2 block and (plurality several many) near2 keys) and (previous prior preceding) near2 block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:21
S55	267	@ad<"20010214" and (different change\$4) with key with block and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:22
S56	142	@ad<"20010214" and (different change\$4) near2 key with block and encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:25
S57	130	@ad<"20010214" and (different change\$4) near2 key with block and encryption and bits	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:31
S58	34	(@ad<"20010214" and (different change\$4) near2 key with block and encryption and bits) and secure with communication	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:45
S59	177	@ad<"20010214" and cipher adj block adj chaining and bits	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:46
S60	8	@ad<"20010214" and cipher adj block adj chaining and bits with extract	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:47
S61	18	@ad<"20010214" and cipher adj block adj chaining and bits with extract\$2	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:47

EAST Search History

S62	35	@ad<"20010214" and cipher adj block adj chaining and bits and (plurality several many) near2 keys!	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/08/10 14:50
S63	4983185	@ad<"20010214"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/17 10:46
S64	225	@ad<"20010214" and 380/37. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/17 10:47
S65	25	(@ad<"20010214" and 380/37. ccls.) and previous near2 block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/17 10:54
S66	566	@ad<"20010214" and different with key with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/17 10:55
S67	46	@ad<"20010214" and different with key with block and previous near2 block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/17 11:00
S68	4	@ad<"20010214" and self near2 synchronizing near2 key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/20 09:18
S69	26	"5365589".URPN.	USPAT	OR	ON	2004/09/17 11:04
S70	16	@ad<"20010214" and key adj auto adj key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/20 09:17
S71	1	"6466669".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/20 13:37
S72	11	(US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.	USPAT	OR	OFF	2004/09/22 08:56

EAST Search History

S73	2	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 08:58
S74	1	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10 same select\$4 same key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:00
S75	1	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10 same key with (storage bank list store)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:00
S76	0	((US-5365589-\$ or US-4694491-\$ or US-4078152-\$ or US-6459792-\$ or US-4074066-\$ or US-5548648-\$ or US-5003597-\$ or US-5442705-\$ or US-6731758-\$ or US-5488661-\$ or US-4642424-\$).did.) and modulo\$10 with select\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:01
S77	4983734	@ad<"20010214"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:00
S78	249	@ad<"20010214" and modulo\$10 same select\$4 same key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:02
S79	102	@ad<"20010214" and modulo\$10 same key with (storage bank list store)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:24
S80	1417	@ad<"20010214" and modulo\$10 with select\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:24
S81	50	@ad<"20010214" and modulo\$10 same select\$4 same keys!	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:02

EAST Search History

S82	61	@ad<"20010214" and modulo\$10 with select\$3 with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:34
S83	42	@ad<"20010214" and modulo\$10 with key with (storage bank list store)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:34
S84	32	@ad<"20010214" and modulus with select\$3 with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 09:35
S85	25	@ad<"20010214" and modulus with key with (storage bank list store)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:17
S86	4983753	@ad<"20010214" 380/262.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:18
S87	4983768	@ad<"20010214" 380/43.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:18
S88	241	@ad<"20010214" and 380/43.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:18
S89	172	@ad<"20010214" and 380/262.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:18
S90	125	((@ad<"20010214" and 380/43.ccls.) (@ad<"20010214" and 380/262.ccls.)) and block with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:19
S91	96	(((@ad<"20010214" and 380/43.ccls.) (@ad<"20010214" and 380/262.ccls.)) and block with key) and (select\$4 different choos\$4) with key	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:19
S92	76	(((((@ad<"20010214" and 380/43.ccls.) (@ad<"20010214" and 380/262.ccls.)) and block with key) and (select\$4 different choos\$4) with key) and keys!	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2004/09/22 12:19

EAST Search History

S93	7	adaptive adj network adj security and operating adj system	US-PGPUB; USPAT; USOCR; EPO; IBM_TDB	OR	ON	2005/12/28 15:38
S94	103	(@ad<"20010214" and cipher adj block adj chaining) and key near2 (bank database table stora\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 14:43
S95	105	(@ad<"20010214" and cipher adj block adj chaining) and key near2 ((look-up look adj up) bank database table stora\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 11:43
S96	11	(@ad<"20010214" and cipher adj block adj chaining) and key near2 ((look-up look adj up))	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:15
S97	65	S95 and "380"/\$.cccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 11:43
S98	5021186	@ad<"20010214"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 12:52
S99	0	S98 and previous adj block with key with (look-up look adj up)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 12:53
S100	66	S98 and block with key with (look-up look adj up)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:12
S101	10	S98 and block with key with (look-up look adj up) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:03
S102	10	S98 and previous adj block with key same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:33
S103	20	S98 and previous adj block same key same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:04
S104	10	S103 not S102	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:04

EAST Search History

S10 5	2	S98 and chain\$3 with key with (look-up look adj up)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:15
S10 6	234	S98 and chain\$3 with key with (select\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:15
S10 7	70	(@ad<"20010214" and cipher adj block adj chaining) and key near2 (select\$4)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 13:15
S10 8	5	S98 and subsequent adj block with key same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:01
S10 9	81	S98 and 380/284.ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:02
S11 0	66	S109 and block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:02
S11 1	11	S109 and block with (previous subsequent next)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:31
S11 9	0	(@ad<"20010214" and block with key with (previous preceding prior subsequent next following)) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:55
S12 0	0	(@ad<"20010214" and block with key with (previous preced\$3 prior subsequent next following)) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:55
S12 1	270	@ad<"20010214" and block with key with (previous preced\$3 prior subsequent next following) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:56
S12 2	148	@ad<"20010214" and key with block near3 (previous preced\$3 prior subsequent next following) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/03 14:56
S12 3	702	@ad<"20010214" and key with look adj up near2 (table database list stor\$5)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:52

EAST Search History

S12 4	3	@ad<"20010214" and key with look adj up near2 (table database list stor\$5) with first with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 15:49
S12 5	74	@ad<"20010214" and key with select\$3 near2 key with first with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 15:50
S12 6	12	S125 and ("726"/\$.ccls. "713"/\$. ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 15:57
S12 7	91	@ad<"20010214" and select\$4 near2 key with first same encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:45
S12 8	83	S127 and ("726"/\$.ccls. "713"/\$. ccls. "380"/\$.ccls.)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 15:57
S12 9	1	@ad<"20010214" and message with first with block with key near3 (select\$3 list bank) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:35
S13 0	41	@ad<"20010214" and message with first with block with key same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:38
S13 1	3	@ad<"20010214" and message with first with block with keys! same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:38
S13 2	549	@ad<"20010214" and select\$3 near2 key near2 (database store storage list bank)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:40
S13 3	21	@ad<"20010214" and select\$3 near2 key near2 (database store storage list bank) with message	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:40
S13 4	39	@ad<"20010214" and select\$3 near2 key near2 (database store storage list bank) same encrypt\$3	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 17:50
S13 5	25	("4249180" "4484025").PN. OR ("5253294").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 16:54

EAST Search History

S13 6	253	@ad<"20010214" and 380/43. ccls.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:45
S13 7	127	S136 and keys!	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:46
S13 8	22	S136 and key adj (bank database storage list)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:48
S13 9	10	S136 and message adj block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:48
S14 0	5021186	@ad<"20010214"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 16:52
S14 1	1	S140 and first adj message adj block with key	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 16:55
S14 2	1	S137 and key adj bank	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 16:56
S14 3	219	S140 and key adj bank	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 16:56
S14 4	35	S140 and (choos\$5 chosen select\$5) with key adj bank	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 16:57
S14 5	2	S140 and (choos\$5 chosen select\$5) with key adj bank same encrypt\$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 16:59
S14 6	0	S140 and (choos\$5 chosen select\$5) adj key with message adj block same encrypt\$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 17:00
S14 7	21	S140 and (choos\$5 chosen select\$5) adj key with message same encrypt\$5	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 17:00
S14 8	40	("4691291" "4723284" "4979832" "5003597" "5048086" "5142577").PN. OR ("5365589").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 17:38
S14 9	37	S140 and S148	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/06 17:38

EAST Search History

S15 0	141	@ad<"20010214" and select\$3 near2 key same (stored adj keys)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 17:50
S15 1	15	@ad<"20010214" and select\$3 near2 key same (stored adj keys) same message	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 17:51
S15 2	30	@ad<"20010214" and select\$3 near2 key with extract\$3 near2 (data block message)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/06 17:52
S15 3	8	@ad<"20010214" and select\$3 near2 key with extract\$3 near2 (data block message) and encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 13:11
S15 4	15	("5696823" "5757915" "5764774" "5812663" "5832083" "5835597" "5835601" "5860099").PN. OR ("5995623").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/07 12:34
S15 5	5021186	@ad<"20010214"	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 12:43
S15 6	13	S154 and S155	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 12:43
S15 7	8	@ad<"20010214" and (select\$3 choose chosen choosing) near2 key with extract\$3 near2 (data block message) and encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 13:11
S15 8	10	@ad<"20010214" and (select\$3 choose chosen choosing access\$4) near2 key with extract\$3 near2 (data block message) and encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 13:29
S15 9	37	@ad<"20010214" and plurality adj keys with (select\$3 choos\$3 chose\$1) same message	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 13:32
S16 0	14	@ad<"20010214" and plurality adj keys with (select\$3 choos\$3 chose\$1) same (message data) same encrypt\$5	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 13:40

EAST Search History

S16 1	1	"5,261,003".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/01/07 13:40
S16 2	1	"6065046".pn.	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:38
S16 3	235	@ad<"20010214" and block with (((look adj up lookup) different) near2 key)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:39
S16 4	0	@ad<"20010214" and block with (((look adj up lookup) different) near2 key) with (previous subsequent following prior) near2 block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:40
S16 5	2	@ad<"20010214" and block with (((look adj up lookup) different) near2 key) same (previous subsequent following prior) near2 block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:40
S16 6	139	@ad<"20010214" and stream adj encryption	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:41
S16 7	38	S166 and key near3 (list store bank database)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:41
S16 8	32	S166 and key near2 (list store bank database)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:59
S16 9	12	S166 and key near2 (list store bank database) and key with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 09:59
S17 0	182	@ad<"20010214" and (cbc cipher adj block adj chaining) and key near2 (bank database table stora\$5 list group)	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 14:52
S17 1	132	@ad<"20010214" and (cbc cipher adj block adj chaining) and key near2 (bank database table stora\$5 list group) and key with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 15:09

EAST Search History

S17 2	158	@ad<"20010214" and (select\$3 near3 key near3 block) and key near2 (bank database table stora\$5 list group) and key with block	US-PGPUB; USPAT; EPO; IBM_TDB	OR	ON	2006/06/28 15:09
S17 3	12	("4736423" "5245658" "5247576" "5548648" "5619576" "5659614" "5835600" "6182216").PN. OR ("6490353").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/06/28 15:18